



## PCN 0112 - CelloTrack T Announcement



Dear Valued Customer,

**PCN no.** 0112  
**PCN type** New Product Announcement  
**Product** CelloTrack T Family  
**Date** December 20, 2013

### **Change Notification Description**

Cellocator is proud to announce the new CelloTrack T Family which replaces the Legacy CelloTrack and the CelloTrack 3G families.

### **CelloTrack T information**

The CelloTrack T family is fully backward-compatible with the replaced products and introduces several advantages over the existing products, including the following:

- ◆ Cello-based (HW and FW) technology:
  - Supports additional valuable features for fleet management.
  - Ready for future codebase enhancement.
- ◆ Improved power management:
  - Real Time Clock (RTC) implementation.
  - CelloTrack 6M replaced by 8M version.
- ◆ Scalable Cellular communication technology– available in 2G and 3G variants.
- ◆ SiRFstarIV positioning engine for reduced acquisition time and better accuracy.
- ◆ 2 fully configurable GPIO (Temp, fuel, light, door, PTO).
- ◆ Rugged redesign of IP67 enclosure and cradle.
- ◆ Dual tampering detection – removal of device from cradle and cradle from surface.
- ◆ Adaptive reporting policy based on battery charging and vehicle movement states.



## PCN 0112 - CelloTrack T Announcement



- ◆ Additional option to wakeup upon plain event message triggering with immediate transmission (Active log event).

You are welcome to review the [CelloTrack T Introduction](#) presentation for more information. Please note that the above link requires access to the [Knowledge Base Login](#) section on our website.

Please note that product PNs and names have been changed. In addition, note that the CelloTrack Lighter is provided now as a kit and not as separate product.

The CelloTrack T includes units and evaluation kits for worldwide 2G networks and for North America 3G networks, as well as the required accessories.

### **Sales, Service and Support**

Cellocator will start shipping CelloTrack T units, in addition to legacy CelloTrack units, on 1Q2014. The transition will be complete when all the stock of components for the legacy CelloTrack will be used, which is expected on April 1, 2014.

According to Cellocator policy, the End of Service (RMA) Date of the replaced CelloTrack units will be 3 years from shipment date per product and End of Customer Support Date will be 5 years from shipment date per product.

### **Customer Considerations**

Customers who use the replaced CelloTrack products should start considering the transition process to the new products upon receiving this announcement.

In order to be prepared for the new products you are invited to order samples for evaluation. Please contact your sales personnel for more details.

Customers who require Homologation approval are advised to complete the homologation process before the end of the transition period.



## PCN 0112 - CelloTrack T Announcement



For pricing and delivery information, you are most welcome to contact your appropriate sales manager.

Should you have any questions regarding this PCN, you are more than welcome to contact the product management department or your appropriate sales manager.

Kind Regards,

Natan Degani

Cellocator Product Management Department

[pm@pointer.com](mailto:pm@pointer.com)

Cellocator Division, Pointer Telocation LTD