



Products & Web Updates Announcement

August 2016

Greetings! ,

This announcement is being issued to notify you about Cellocator product updates and information recently published in the [Knowledge Base section](#) of the Cellocator website.

Cello-CANiQ

- **Supported Vehicles Database**

The [Supported Vehicles Database](#) has been updated with approximately 100! new vehicle over the past couple of months with their available CANBUS parameters.

CR300 (2G & 3G)

The CR300 (2G&3G), based on the new CR platform, provides several advantages over the legacy CR300. You are welcome to review the [PCN 0125 - CR300 2G Replacing Legacy CR300 - Jan 2016](#) for further information.

- All relevant information regarding the new CR300 (2G & 3G) platform can be reviewed in the [CR300 \(2G&3G\) Family](#) page.
 - The [FW 43m for CR300 Release Package](#), which supports the CR300 (2G & 3G) family, including CSF files, PLs and Release Notes, can be downloaded from the [FW & PL Released Packages](#) page.
 - CR300 (2G & 3G) certifications can be Reviewed in [CR300 Certification](#) and the [Certifications & Reports Reference Table](#) has been updated accordingly.
-

CelloTrack T

- **CelloTrack T Platform Improvements**

The new CelloTrack platform provides the following improvements:

- New GNSS receiver
- CelloTrack XT utilizes now 5.3 Ah battery.

- CelloTrack XT battery charging temperature range has been increase to -20°C to 60 °C
- 3G EU variant has been added

You are welcome to review [PCN 0124 - New GNSS Receiver for CelloTrack T - Oct 2015](#) for further information regarding the new GNSS receiver.

The [CelloTrack T Family Overview](#) has been updated to include these changes.

- **FW61c/d for CelloTrack T**

FW61c for CelloTrack T 2G and FW61d for CelloTrack T 3G support several features and bugs corrections in addition to the new GNSS receiver and new platform. The release packages of FW61c and FW61d, including CSF files, PLs and Release Notes, can be downloaded from the [FW & PL Released Packages](#) page.

CelloTrack Nano

The [Dynamic Pairing of MultiSense Devices with the Nano Hub Application Note](#) has been added to the [CelloTrack Nano Family](#) page.

Accessories

- **AR0281 Cellocator 1-wire proximity reader**

The 1-wire Proximity Reader serves as an external wireless front-end for the Cellocator unit, providing a wireless driver ID solution with support for proximity cards or tags. You are welcome to review the [Cellocator 1-Wire Proximity Reader Overview](#) for further information.

- **FL0018 EC Power Surge Protector**

The EC External Power Surge Protector provides adequate protection against exceptional electrical disturbances in the vehicle environment. You are welcome to review the [Cellocator Power Surge Protector Overview](#) for further information.

- **Harnesses**

The [Harness Selection Wizard](#) has been updated due to new and discontinued units and accessories.

Evaluation and Integration

Note that the Evaluation Suite Manual, Cellocator Programmer Manual, Protocol documents and Programming Manuals are updated from time to time without special notice.

Certification

VESA & ABS South Africa Certificates has been added to [General Certifications](#) page.

Correction

In PCN 0129 - Cello-CANiQ Generic Harness EOL - June 2016 email sent on June 9,

2016, the [711-00279 Cello 17 wires harness](#) has been mentioned as one of the replacing harnesses.

The correct PN of this harness is **711-00299**. You are welcome to review the [PCN 0129 - Cello-CANiQ Generic Harness EOL - June 2016](#) for the correct information.

General

For pricing and delivery information, please contact your Sales Manager.

Please note that the above links require access to the [Knowledge Base section](#) on our website.

Should you have any questions on the new products or changes, please feel free to contact the Product Management department or your Sales Manager.

Kind Regards,

Natan Degani

Cellocator Product Management Department

pm@pointer.com

Cellocator Division, Pointer Telocation LTD

Cellocator Division - Pointer Telocation Ltd. | sales@cellocator.com | www.cellocator.com

See what's happening on our social sites:

