

HE910 Family Product Description

80378ST10085a Rev.9 – 2015-05-14



APPLICABILITY TABLE¹

PRODUCT
HE910-G
HE910-DG
HE910-D
HE910-GL
HE910-EUR
HE910-EUD
HE910-EUG
HE910-NAR
HE910-NAD
HE910-NAG

¹ HE910 is the “type name” of the products marketed as HE910-G & HE910-DG



HE910 Family Product Description
80378ST10085a- Rev.9 – 2015-05-14



3.11.	Input and Outputs	24
3.11.1.	General Purpose I/Os	24
3.11.2.	Power on monitor (PWR_MON)	25
3.11.3.	Power on/off control (ON_OFF)	25
3.11.4.	Auxiliary power output for accessory (VAUX)	25
3.11.5.	SIM Reader	25
3.11.6.	Converters	25
3.11.7.	Audio Interface	25
3.11.8.	Serial ports	25
3.11.9.	USB port	25
3.11.10.	User Interface	26
3.12.	Features	26
3.12.1.	Speech Coding	26
3.12.2.	SMS	26
3.12.3.	RTC Bypass out	26
3.12.4.	Data Transmission capabilities	26
3.12.5.	Local security management	27
3.12.6.	Call control	27
3.12.7.	Phonebook	27
3.12.8.	Characters management	27
3.12.9.	SIM related functions	27
3.12.10.	Call status indication	27
3.12.11.	Automatic answer	27
3.12.12.	Supplementary services	27
3.13.	Mounting the modules on your board	28
3.14.	Packing system	28
4.	Evaluation Kit	29
5.	AT Commands	30
6.	Conformity assessment issues	31
6.1.	Declaration of Conformity	31
6.2.	R&TTE Notified Body statement of Opinion	37
6.3.	FCC certificates	39
6.4.	IC certificates	43



1. Introduction

1.1. Scope

Scope of this document is to give an overview of the Telit HE910 family, which can support GSM/GPRS/EDGE and WCDMA/HSPA with data/voice capabilities and optional GPS.

1.2. Audience

This document is intended for customers who are evaluating the HE910 family.

1.3. Contact Information, Support

For general contact, technical support, to report documentation errors and to order manuals, contact Telit Technical Support Center (TTSC) at:

TS-EMEA@telit.com
TS-NORTHAMERICA@telit.com
TS-LATINAMERICA@telit.com
TS-APAC@telit.com

Alternatively, use:

<http://www.telit.com/en/products/technical-support-center/contact.php>

For detailed information about where you can buy the Telit modules or for recommendations on accessories and components visit:

<http://www.telit.com>

To register for product news and announcements or for product questions contact Telit Technical Support Center (TTSC).

Our aim is to make this guide as helpful as possible. Keep us informed of your comments and suggestions for improvements.

Telit appreciates feedback from the users of our information.



2. Overview

The new HE910 product family introduces the first and smallest hepta-band HSPA+ Land-Grid-Array (LGA) module in the market incorporating a 2G/3G solution built on 40nm CMOS technology.

The LGA package provides ultra low profile in the integrated solution while at the same time enhancing the performance of mechanical resistance to shock and reducing cost in high-volume applications, saving space and weight in portable devices.

The HE910 includes features like HSDPA 21.0 Mbps (Cat 14), HSUPA 5.7 Mbps (Cat 6), digital voice interface, circuit switched data transfer, phonebook and SMS support, embedded TCP/IP protocol stack and custom Telit AT commands.

Due to its low profile, low consumption and advanced connectivity features, HE910 is particularly suitable for applications such as mobile computing devices, PDAs, smartphones, table PCs and consumer electronics in general, both for business and personal life.

HE910 family can also be provided with an optional integrated high sensitivity A-GPS functionality for indoor fixes and simultaneous GPS with voice and data.

As a part of Telit's corporate policy of environmental protection, all Telit products comply with the RoHS (Restriction of Hazardous Substances) directive of the European Union (EU Directive 2002/95/EG)



NOTE:

Some of the performances of the Telit modules depend on S/W version installed on the module itself. The Telit modules S/W group is continuously working in order to add new features and improve the overall performances. The Telit modules are easily upgraded by the developer using the Telit Flash Programmer.



NOTE:

In order to meet the competitive OEM and vertical market stringent requirements, Telit supports its customers with a dedicated Support Policy with:

- Telit Evaluation Kit EVK2 to help you to develop your application;
 - A website with all updated information available;
 - An high level specialist technical support to assist you in your development;
-

2.1. Product variants

All HE910 variants are quad-band GSM/GPRS/EDGE.



2.2. Target Market

The HE910 family is designed and developed for applications such as:

- Mobile computing
- In-car telematics
- PDAs
- E-readers
- Tablet PCs
- Consumer electronics
- Broadband connectivity
- Location tracking and Fleet Management application with optional GPS

2.3. Features

- Advanced E-GPRS/WCDMA/HSDPA/HSUPA Software protocol stack (Layer 1 to 3) – Version: 3GPP Release 7
- GSM Quad band (850, 900, 1800, 1900)
- WCDMA Multi-band (I, II, IV, V, VI, VIII and XIX)
- HSDPA up to 21.0Mbps (for the high-end variants; up to 7.2 Mbps for the others)
- HSUPA up to 5.76Mbps
- WCDMA up to 384kbps downlink/uplink
- DTM (Dual Transfer Mode)
- Receive Diversity, type3i interference cancellation receiver
- CPC (DRX/DTX) (Continuous Packet Connectivity)
- DARP
- Control via AT commands according to 3GPP TS27.005, 27.007 and Telit customized AT commands
- Serial port multiplexer 3GPP TS27.010
- SIM application Tool Kits 3GPP TS 51.014
- Power consumption (typical values)
 - Stand-by current 2G, DRX5, 1.1 mA



HE910 Family Product Description

80378ST10085a- Rev.9 – 2015-05-14

- Stand-by current 3G, DRX7, 1.2 mA
- Output power
 - Class 4 (2W) @ 850 / 900 MHz, GSM
 - Class 1 (1W) @ 1800 / 1900 MHz, GSM
 - Class E2 (0.5W) @ 850/900 MHz, EDGE
 - Class E2 (0.4W) @ 1800/1900 MHz, EDGE
 - Class 3 (0.25W) @ 850/900/1700/1900/2100 MHz, WCDMA
- Sensitivity:
 - - 109 dBm (typ.) @ 850 / 900 MHz (GSM)
 - - 110 dBm (typ.) @ 1800 / 1900 MHz (GSM)
 - - 111 dBm (typ.) @ 850/900/1700/1900 / 2100 MHz (WCDMA)

Interfaces

- 10 general I/O ports maximum including multi-functional I/Os
- I2S for digital audio interface
- USB 2.0 HS
- 2 UART
- SPI
- 1 I2C
- 1.8V/3V SIM interface

Audio

- Telephony, emergency call
- HR, FR, EFR, AMR for GSM and AMR for WCDMA voice codec
- Spatial Noise Suppression
- Multiple audio profiles pre-programmed and fully configurable
- DTMF

SMS



HE910 Family Product Description

80378ST10085a- Rev.9 – 2015-05-14

- Point to point mobile originated and mobile terminated SMS
- Concatenated SMS supported
- SMS cell broadcast
- Text and PDU mode
- SMS over GPRS

Data transmission

- HSPA: category 14 in downlink e category 6 in uplink
 - DL up to 21.0Mbps
 - UL up to 5.76Mbps
- WCDMA: up to 384kbps downlink/uplink
- EDGE: DL up to 296kbps, UL up to 236.8kbps
- GPRS: DL up to 107kbps, UL up to 85.6kbps
- GPRS class 10 for Global and NAX variants; class 33 for EUx variants
- EDGE class 10 for Global and NAX variants; class 33 for EUx variants
- Asynchronous non-transparent CSD up to 9.6kbps
- Coding scheme 1 to 4 (GPRS) & Modulation Coding scheme 1 to 9 (EDGE)

Optional GPS receiver

- Advanced real time hardware correlation engine for enhanced sensitivity (better than -165 dBm for A-GPS)
- Fast Acquisition giving rapid Time-to-First-Fix (TTFF)
- Capability to monitor up to 28 channels
- Stand Alone and Assisted mode (SUPL 1.0)
- Integrated LNA

Main characteristics:

Accuracy: 3m

Hot start autonomous: 1.8 sec.

Warm start autonomous: 30 sec.

Cold start autonomous: 42 sec.

L1 1575.42 MHz

GPS NMEA 0183 output format



Datum WGS-84

For further information, please refer to the HE910 family Hardware User Guide.

GSM Supplementary Services

- Call forwarding
- Call barring
- Call waiting & call hold
- Advice of charge
- Calling line identification presentation [CLIP]
- Calling line identification restriction [CLIR]
- Unstructured supplementary services mobile originated data [USSD]
- Closed user group

Additional features

- SIM phonebook
- Fixed Dialling Number (FDN)
- Call control & status indication
- SIM phonebook
- Character management (IRA, UCS2, GSM)
- USIM 3GPP Rel.7
- Real Time Clock
- Automatic answer
- Alarm management
- Embedded TCP/IP stack, including TCP, IP, UDP, and FTP protocols
- CSD for Video Telephony support

2.4. Approvals


- Fully type approved confirming with R&TTE directive
- CE, GCF (Global and EUx variants)
- FCC, IC, PTCRB (NAx variants)
- RoHS and REACH (all versions)



3. General Product Description

3.1. Dimensions and 2D mechanical drawing

HE910 has a Land-Grid-Array (LGA) package, with 144 pads.



The overall dimensions of HE910 family are:

- Length: 28.2 mm
- Width: 28.2mm
- Thickness: 2.2 mm



HE910 Family Product Description

80378ST10085a- Rev.9 – 2015-05-14

WCDMA1700 (band IV)	1710 ~ 1755	2110 ~ 2155	Tx: 1312 ~ 1513 additional 1662, 1687, 1712, 1737, 1762, 1787, 1812, 1837, 1862 Rx: 1537 ~ 1738 additional 1887, 1912, 1937, 1962, 1987, 2012, 2037, 2062, 2087	400MHz
WCDMA1900 (band II)	1850 ~ 1910	1930 ~ 1990	Tx: 9262 ~ 9538 additional 12, 37, 62, 87, 112, 137, 162, 187, 212, 237, 262, 287 Rx: 9662 ~ 9938 additional 412, 437, 462, 487, 512, 537, 562, 587, 612, 637, 662, 687	80MHz
WCDMA2100 (Band I)	1920 ~ 1980	2110 ~ 2170	Tx: 9612 ~ 9888 Rx: 10562 ~ 10838	190MHz

*note : Band VI & Band XIX are subset of Band V and supported in all the variants, starting from the sw release 12.00.xx4



3.5. Transmitter output power

The HE910 family transceiver output of GSM/GPRS mode in 850/900MHz bands are class 4 in accordance with the specifications which determine the nominal 2W peak RF power (+33dBm) on 50ohm. In the 1800/1900MHz bands are class 1 in accordance with the specification which determines the nominal 1W peak RF power (+30dBm) on 50ohm.

The HE910 family transceiver output of EDGE mode in 850/900MHz bands are class E2 in accordance with the specifications which determine the nominal 0.5W peak RF power (+27dBm) on 50ohm. In the 1800/1900MHz bands are class E2 in accordance with the specification which determine the nominal 0.4W peak RF power (+26dBm) on 50ohm.

The HE910 family transceiver output of WCDMA mode in 850/900/1700/1900/2100MHz bands is class 3 in accordance with the specifications which determine the nominal 0.25W peak RF power (+24dBm) on 50ohm.

3.6. Sensitivity

Band	Typical	Note
GSM 850	-109.5 dBm	BER Class II <2.44%
GSM 900	-109 dBm	BER Class II <2.44%
DCS1800	-110 dBm	BER Class II <2.44%
PCS 1900	-109.5 dBm	BER Class II <2.44%
WCDMA FDD B1	-111 dBm	BER <0.01%
WCDMA FDD B2	-110 dBm	BER <0.01%
WCDMA FDD B4	-111 dBm	BER <0.01%
WCDMA FDD B5	-111 dBm	BER <0.01%
WCDMA FDD B8	-110 dBm	BER <0.01%



3.7.3. Antenna Diversity

The high end variants of this product family are characterized by an higher downlink datarate and are including an input for a second RX antenna to improve the radio sensitivity. This function is called “Antenna Diversity”

For further information, please refer to the chapter 6.7 of the HE910 family Hardware User Guide.



Note:

If the RX Diversity is not used/connected, disable the Diversity functionality using the AT#RXDIV command (ref to the AT User Guide for the proper syntax) and leave the correspondent pad unconnected

3.8. Supply voltage

The external power supply must be connected to VBATT signal and must fulfill the following requirements:

Nominal Supply Voltage	3.8V
Operating Voltage Range	3.4 ~ 4.2V
Extended Operating Voltage Range	3.1 ~ 4.5V



CAUTION:

The operating voltage **MUST** not be exceeded; Special care must be taken when designing the application’s power supply section to avoid an excessive voltage drop. If the voltage drop is exceeding the limits it could cause a Power Off of the module.

Refer to the Hardware User Guide for all the requirements and notes.



3.9. Power consumption

The HE910 power consumptions are described in the following table

HE910		
Mode	Average (mA)	Mode description
SWITCHED OFF		
Switched Off	40uA	Module supplied but Switched Off
IDLE mode (WCDMA)		
AT+CFUN=5	1.2	Disabled TX and RX; DRX7
IDLE mode (GSM/EDGE)		
AT+CFUN=1	19	Normal mode: full functionality of the module
AT+CFUN=4	16.5	Disabled TX and RX; module is not registered on the network
AT+CFUN=5	0.8	Disabled TX and RX; DRX9 (1.1mA in case of DRX5)
Operative mode (WCDMA)		
WCDMA Voice	152	WCDMA voice call (TX = 10dBm)
WCDMA HSDPA (0dBm)	187	WCDMA data call (Cat 14, TX = 0dBm)
WCDMA HSDPA (22dBm)	494	WCDMA data call (Cat 14, TX = 22dBm)
Operative mode (EDGE)		
EDGE 4TX+2RX		
GSM900 PL5	495	EDGE Sending data mode
DCS1800 PL0	484	
Operative mode (GSM)		
CSD TX and RX mode		
GSM900 CSD PL5	220	GSM VOICE CALL
DCS1800 CSD PL0	167	
GPRS 4TX+2RX		
GSM900 PL5	580	GPRS Sending data mode
DCS1800 PL0	438	

(*Depending on network configuration and not under module control

For further information, please refer to the HE910 family Hardware User Guide.

3.10. Logic level

Where not specifically stated, the most of interface circuits work at 1.8V CMOS logic levels. To get more detailed information about the logic level specifications used for HE910 family, please refer to the HE910 family Hardware User Guide.

3.11. Input and Outputs

3.11.1. General Purpose I/Os

10 pins of general purpose I/Os can be configured by AT command in three different ways as input, output and alternative function.



3.11.2. Power on monitor (PWR_MON)

The PWR_MON indicates the status of the module running properly.

3.11.3. Power on/off control (ON_OFF)

External power on/off control input. Refer to the HE910 family Hardware User Guide for more details of Power on timing.

3.11.4. Auxiliary power output for accessory (VAUX)

A regulated 1.8V power output is provided for an external device.

3.11.5. SIM Reader

The HE910 family supports 1 SIM/USIM at 1.8V and 3V ONLY with and external SIM connector. For 5V SIM, an external level translator can be added. Refer to the HE910 family Hardware User Guide.

3.11.6. Converters

The HE910 family has 1 ADC.

3.11.7. Audio Interface

The HE910 Module is not provided by an Analog Audio section.
One DIGITAL AUDIO bus is available.

In order to develop an application including an Analog Audio it is necessary to add a dedicated CODEC on the Application design (ref to the HE910 Digital Voice Interface Application Note).

3.11.8. Serial ports

Two serial ports are available.

- Full RS232-C
- Simplified serial port (RX/TX only) for debugging

3.11.9. USB port

The USB2.0 High Speed has a clock rate of 480MHz.

This port is compliant with the USB 2.0 HS.

The USB FS is supported for AT interface and data communication.



3.11.10. User Interface

The user interface is managed by AT commands according to ITU-T V.250, 3GPP 27.007 and 27.005 specifications. Please refer to the HE910 AT command User Guide for complete details.

3.12. Features

3.12.1. Speech Coding

The HE910 family support the following voice codecs:

- Adaptive Multi Rate for WCDMA
- Half Rate, Full Rate, Enhanced Full Rate, Adaptive Multi Rate for GSM

3.12.2. SMS

The HE910 family supports the following SMS types:

- Mobile Terminated (MT) class 0 ~ 3 with signaling of new incoming SMS, SIM full, SMS read
- Mobile Originated class (MO) 0 ~ 3 with writing, saving in SIM and sending
- Cell broadcast compatible with CB DRX signaling of new incoming SMS.

The HE910 supports also SMS over GPRS

3.12.3. RTC Bypass out

The VRTC pin brings out the Real Time Clock supply, which is separate from the rest of the digital part, allowing having only RTC going on when all the other parts of the device are off.

To this power output a backup capacitor can be added in order to increase the RTC autonomy during power off of the battery. NO Devices must be powered from this pin.

3.12.4. Data Transmission capabilities

The HE910 family supports:

- HSPA: D/L up to 21.0Mbps, U/L up to 5.76Mbps
- EDGE: D/L up to 296kbps, U/L up to 236.8kbps
- GPRS: D/L up to 107kbps, U/L up to 85.6kbps
- Asynchronous non-transparent CSD up to 9.6kbps for GSM, 14.4kbps for WCDMA
- Coding scheme 1 to 4 (GPRS) & Modulation Coding scheme 1 to 9 (EDGE)





EC DECLARATION OF CONFORMITY

1. HE910 (product name)
2. Telit Communications S.p.A, Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) - ITALY (manufacturer)
3. This declaration of conformity is issued under the sole responsibility of the manufacturer
4. Quad-Band GSM850/EGSM900/DCS1800/PCS1900 and Penta-Band FDD I/III/IV/V/VIII Wireless Module with GPS receiver



5. The object of the declaration described above is in conformity with the relevant Community harmonisation: European Directive 1999/05/EC (R&TTE).
6. The conformity with the essential requirements of the 1999/05/EC has been demonstrated against the following harmonized standard:

EN 301 511 V9.0.2 EN 301 908-1 V6.2.1 EN 301 908-2 V6.2.1 EN 300 440-2 V1.4.1	For article 3.2 : Effective use of spectrum allocated
EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 EN 62311:2008	For article 3.1 (a): Health and Safety of the User
EN 301 489-1 V1.9.2 EN 301 489-3 V1.6.1 EN 301 489-7 V1.3.1 EN 301 489-24 V1.5.1	For article 3.1 (b): Electromagnetic Compatibility (EMC)

7. The conformity assessment procedure referred to in Article 10, and detailed in Annex IV of Directive 1999/05/EC has been followed with the involvement of the following Notified Body:
AT4 wireless, S.A., Parque Tecnológico de Andalucía, C/ Severo Ochoa 2, 29590 Campanillas – Málaga
SPAIN, Notified Body No: 1909
Thus, **CE 1909** is placed on the product.
8. The Technical Construction File (TCF) relevant to the product described above, and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A, Via Stazione di Prosecco, 5/b - 34010 Sgonico (TRIESTE) - ITALY.

Signed for and on behalf of Telit Communications S.p.A
Trieste, 2015-03-17

Quality Director
Guido Walcher

Quality Manager
Cesare Robelli

NBO number:	44421CNE.001A1
Technical Construction File:	HE910_44421_Rev3.1

Mod 0211 2010-11 Rev.2 - This declaration of conformity is issued in compliance with 766/2008/EC



HE910 Family Product Description
80378ST10085a- Rev.9 – 2015-05-14




EC DECLARATION OF CONFORMITY

1. **HE910-D** (product name)
2. Telit Communications S.p.A, Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) - ITALY (manufacturer)
3. This declaration of conformity is issued under the sole responsibility of the manufacturer
4. Quad-Band GSM850/EGSM900/DCS1800/PCS1900 and Penta-Band FDD III/IV/V/VIII Wireless Module



5. The object of the declaration described above is in conformity with the relevant Community harmonisation: European Directive 1999/05/EC (R&TTE).
6. The conformity with the essential requirements of the 1999/05/EC has been demonstrated against the following harmonized standard:

EN 301 511 V9.0.2 EN 301 508-1 V5.2.1 EN 301 508-2 V5.2.1	For article 3.2 : Effective use of spectrum allocated
EN 60950-1:2005 + A11:2009 + A1:2010 + A12:2011 + AC:2011 EN 62311:2008	For article 3.1 (a): Health and Safety of the User
EN 301 489-1 V1.9.2 EN 301 489-7 V1.3.1 EN 301 489-24 V1.5.1	For article 3.1 (b): Electromagnetic Compatibility (EMC)

7. The conformity assessment procedure referred to in Article 10, and detailed in Annex IV of Directive 1999/05/EC has been followed with the involvement of the following Notified Body:
 AT4 wireless, S.A., Parque Tecnológico de Andalucía, C/ Severo Ochoa 2, 29590 Campanillas – Málaga
 SPAIN, Notified Body No: 1909
 Thus, **CE 1909** is placed on the product.
8. The Technical Construction File (TCF) relevant to the product described above, and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A, Via Stazione di Prosecco, 5/b - 34010 Sgonico (TRIESTE) - ITALY.

Signed for and on behalf of Telit Communications S.p.A
Trieste, 2015-03-17


 Quality Director
Guido Walcher


 Quality Manager
Cesare Robelli

NB0 number:	44421CN8.001A1
Technical Construction File:	HE910_44421_Rev1.1

Mod 0211 2010-11 Rev.2 - This declaration of conformity is issued in compliance with 768/2008/EC





EC DECLARATION OF CONFORMITY

1. HE910-EUD (product name)
2. Telit Communications S.p.A, Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) - ITALY (manufacturer)
3. This declaration of conformity is issued under the sole responsibility of the manufacturer
4. Quad-Band GSM850/EGSM900/DCS1800/PCS1900 and Tri-Band FDD I/V/VIII Wireless Module



5. The object of the declaration described above is in conformity with the relevant Community harmonisation: European Directive 1999/05/EC (R&TTE).
6. The conformity with the essential requirements of the 1999/05/EC has been demonstrated against the following harmonized standard:

EN 301 511 V9.0.2 EN 301 908-1 V6.2.1 EN 301 908-2 V6.2.1	For article 3.2 : Effective use of spectrum allocated
EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 EN 62311:2008	For article 3.1 (a): Health and Safety of the User
EN 301 489-1 V1.9.2 EN 301 489-7 V1.3.1 EN 301 489-24 V1.5.1	For article 3.1 (b): Electromagnetic Compatibility (EMC)

7. The conformity assessment procedure referred to in Article 10, and detailed in Annex IV of Directive 1999/05/EC has been followed with the involvement of the following Notified Body:
AT4 wireless, S.A., Parque Tecnológico de Andalucía, C/ Severo Ochoa 2, 29590 Campanillas – Málaga
SPAIN, Notified Body No: 1909
Thus, **CE 1909** is placed on the product.
8. The Technical Construction File (TCF) relevant to the product described above, and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A, Via Stazione di Prosecco, 5/b - 34010 Sgonico (TRIESTE) - ITALY.

Signed for and on behalf of Telit Communications S.p.A

Trieste, 2015-03-17


Quality Director
Guido Walcher


Quality Manager
Cesare Robelli

NBO number:	44421CN8.002A1
Technical Construction File:	HE910_EUX_44421_Rev1.1

Mod 0211 2010-11 Rev.2 - This declaration of conformity is issued in compliance with 768/2008/EC





EC DECLARATION OF CONFORMITY

1. HE910-EUG (product name)
2. Telit Communications S.p.A, Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) - ITALY (manufacturer)
3. This declaration of conformity is issued under the sole responsibility of the manufacturer
4. Quad-Band GSM850/EGSM900/DCS1800/PCS1900 and Tri-Band FDD IV/VIII Wireless Module with GPS receiver




5. The object of the declaration described above is in conformity with the relevant Community harmonisation: European Directive 1999/05/EC (R&TTE).
6. The conformity with the essential requirements of the 1999/05/EC has been demonstrated against the following harmonized standard:

EN 301 511 V9.0.2 EN 301 908-1 V6.2.1 EN 301 908-2 V6.2.1 EN 300 440-2 V1.4.1	For article 3.2 : Effective use of spectrum allocated
EN 60950-1:2006 + A11:2009 + A12:2010 + A12:2011 + AC:2011 EN 62311:2008	For article 3.1 (a): Health and Safety of the User
EN 301 489-1 V1.9.2 EN 301 489-3 V1.6.1 EN 301 489-7 V1.3.1 EN 301 489-24 V1.5.1	For article 3.1 (b): Electromagnetic Compatibility (EMC)

7. The conformity assessment procedure referred to in Article 10, and detailed in Annex IV of Directive 1999/05/EC has been followed with the involvement of the following Notified Body:
AT4 wireless, S.A., Parque Tecnológico de Andalucía, C/ Severo Ochoa 2, 29590 Campanillas – Málaga
SPAIN, Notified Body No: 1909
Thus, **CE 1909** is placed on the product.
8. The Technical Construction File (TCF) relevant to the product described above, and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A, Via Stazione di Prosecco, 5/b - 34010 Sgonico (TRIESTE) - ITALY.

Signed for and on behalf of Telit Communications S.p.A

Trieste, 2015-03-17


Quality Director
Guido Walcher


Quality Manager
Cesare Robelli

NBO number:	44421CN8.002A1
Technical Construction File:	HE910_EUX_44421_Rev1.1

Mod 0211 2010-11 Rev.2 - This declaration of conformity is issued in compliance with 768/2008/EC



6.2. R&TTE Notified Body statement of Opinion



AT4 wireless, S.A.

Designated by the
Secretaría de Estado de Telecomunicaciones y para la Sociedad de la Información
(Ministerio de Industria, Energía y Turismo)
to act as Notified Body in accordance with the R&TTE Directive 1999/5/EC of 9 March 1999

Directive 1999/5/EC – Notified Body Expert Opinion

Identification Number: 44421CNB.001A1
Issue date: 2015-03-17

APPLICANT DETAILS:
Company name: Telit Communications S.p.A.
Address: Via Stazione di Prosecco, 5/b
34010 Sgonico [TS], Italy

MANUFACTURER DETAILS:
Company name: Telit Communications S.p.A.
Address: Via Stazione di Prosecco, 5/b
34010 Sgonico [TS], Italy

EQUIPMENT DETAILS:
Type of equipment: 2.5G, 3.5G Wireless Module
Brand name: Telit
Family name: HE910
Model name:

HE910	HE910-D
0	0
12.00.003	12.00.023
12.00.004	12.00.024
12.00.005	12.00.025
12.00.006	12.00.026

HW version:
SW versions:

SCOPE OF OPINION:

Essential requirements	Specifications / Standards	Submitted documents
Article 3.1(a): Electrical safety	EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011	Test report
Article 3.1(a): EMF exposure	EN 62311:2008	Calculation
Article 3.1(b): EMC	EN 301 489-1 V1.9.2 EN 301 489-3 V1.6.1 ¹⁾ EN 301 489-7 V1.3.1 EN 301 489-24 V1.5.1	Test report
Article 3.2: Radio spectrum use	EN 300 440-2 V1.4.1 ¹⁾ EN 301 511 V9.0.2 EN 301 908-1 V6.2.1 EN 301 908-2 V6.2.1	Test report

OPINION:
Our opinion in accordance with Annex IV of DIRECTIVE 1999/5/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity is that the equipment complies with the requirements of that directive stated in the above scope.
This opinion has 1 annex with 2 pages and it is only valid in conjunction with it.

Signed on behalf of AT4 wireless, S.A. in Málaga (Spain)



Name: Ricardo Orejas Rodriguez
Position: Responsible of 1999/5/EC Dir. NB No. 1909

Marking: The product shall be marked with CE and our notified body number as shown below.

CE 1909

FDT69_00 # AT4 wireless, S.A., Parque Tecnológico de Andalucía, C/Severo Ochoa 2, 29500 Campanillas (Málaga), Spain # <http://www.at4wireless.com>





AT4 wireless, S.A.

Designated by the
Secretaría de Estado de Telecomunicaciones y para la Sociedad de la Información
(Ministerio de Industria, Energía y Turismo)
to act as Notified Body in accordance with the R&TTE Directive 1999/5/EC of 9 March 1999

Directive 1999/5/EC – Notified Body Expert Opinion

Identification Number: 44421CNB.002A1
Issue date: 2015-03-17

APPLICANT DETAILS:
Company name: Telit Communications S.p.A.
Address: Via Stazione di Prosecco, 5/b
34010 Sgonico [TS]
Italy

MANUFACTURER DETAILS:
Company name: Telit Communications S.p.A.
Address: Via Stazione di Prosecco, 5/b
34010 Sgonico [TS]
Italy

EQUIPMENT DETAILS:
Type of equipment: 2.5G, 3.5G Wireless Module
Brand name: Telit
Family name: HE910

Model name:	HE910-EUG	HE910-EUR	HE910-EUD
HW version:	0	0	0
SW version:	12.00.213	12.00.203	12.00.223
	12.00.214	12.00.204	12.00.224
	12.00.215	12.00.205	12.00.225
	12.00.216	12.00.206	12.00.226

SCOPE OF OPINION:

Essential requirements	Specifications / Standards	Submitted documents
Article 3.1(a): Electrical safety	EN 60950-1:2006 + A11:2009 + A12:2010 + AC:2011	Test report
Article 3.1(a): EMF exposure	EN 62311:2008	Calculation
Article 3.1(b): EMC	EN 301 489-1 V1.9.2 EN 301 489-3 V1.6.1 ⁽¹⁾ EN 301 489-7 V1.3.1 EN 301 489-24 V1.5.1	Test report
Article 3.2: Radio spectrum use	EN 300 440-2 V1.4.1 ⁽¹⁾ EN 301 511 V9.0.2 EN 301 908-1 V6.2.1 EN 301 908-2 V6.2.1	Test report

OPINION:
Our opinion in accordance with Annex IV of DIRECTIVE 1999/5/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity is that the equipment complies with the requirements of that directive stated in the above scope.
This opinion has 1 annex with 2 pages and it is only valid in conjunction with it.

<p>Signed on behalf of AT4 wireless, S.A. in Málaga (Spain)</p>  <p>Name: Ricardo Orejas Rodríguez Position: Responsible of 1999/5/EC Dir. NB No. 1909</p>	<p>Marking: The product shall be marked with CE and our notified body number as shown below.</p> <h1 style="text-align: center;">CE 1909</h1>
---	---

FDT69_00 // AT4 wireless, S.A., Parque Tecnológico de Andalucía, C/Severo Ochoa 2, 29590 Campanillas (Málaga), Spain // <http://www.at4wireless.com>



HE910 Family Product Description
80378ST10085a- Rev.9 – 2015-05-14

TCB

GRANT OF EQUIPMENT
AUTHORIZATION
Certification
Issued Under the Authority of the
Federal Communications Commission
By:

TCB

British Approvals Board for
Telecommunications (BA)
Balfour House Churchfield Road
Walton-on-Thames, Surrey, KT12
2TD
United Kingdom

Date of Grant: 03/13/2012
Application Dated: 03/13/2012

Telit Communications S.p.A.
Viale Stazione di Prosecco 5/b
Trieste, 34010
Italy

Attention: Brian Tucker , Global VP, Quality

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,
and is VALID ONLY for the equipment identified hereon for use under the
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: RI7HE910
Name of Grantee: Telit Communications S.p.A.
Equipment Class: PCS Licensed Transmitter
Notes: WWAN Module
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 824.2	1.995	1.0 PM	300KGXW
	22H	824.2 - 848.8	0.997	1.0 PM	300KG7W
	22H	826.4 - 846.4	0.446	1.0 PM	4M20F9W
	27	1712.4 - 1752.6	0.226	1.0 PM	4M20F9W
	24E	1850.2 - 1909.8	0.993	1.0 PM	300KGXW
	24E	1850.2 - 1909.8	0.38	1.0 PM	300KG7W
	24E	1852.4 - 1907.6	0.243	1.0 PM	4M20F9W

Single Modular Approval. Power listed is conducted. The maximum antenna gain including cable loss for compliance with radiated power limits, RF exposure requirements and the categorical exclusion requirements of 2.1091 is 5.22 dBi for part 22H, 3.31 dBi for part 27 and 6.45 dBi for part 24E. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operated in conjunction with any antenna or transmitter not described under this FCC id, except in accordance with FCC multi-transmitter product procedures. The final product operating with this transmitter must include operating instructions and antenna installation instructions, for end-users and installers to satisfy RF exposure compliance requirements. Compliance of this device in all final product configurations is the responsibility of the Grantee. Installation of this device into specific final products may require the submission of a Class II permissive change application containing data pertinent to RF Exposure, spurious emissions, ERP/EIRP, and host/module authentication, or new application if appropriate.

This device contains GSM functions that are not operational in the U.S. Territories. This filing is only applicable for U.S. operations.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**British Approvals Board for
Telecommunications (BA
Balfour House Churchfield Road
Walton-on-Thames, Surrey, KT12 2TD
United Kingdom**

Date of Grant: 06/28/2012

Application Dated: 06/28/2012

**Telit Communications S.p.A.
Viale Stazione di Prosecco 5/b
Trieste, 34010
Italy**

Attention: Brian Tucker , Global VP, Quality

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: RI7HE910NA
Name of Grantee: Telit Communications S.p.A.
Equipment Class: PCS Licensed Transmitter
Notes: 2G/3.5G module, HE910-NAG; HE910-NAR;
HE910-NAD
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 848.8	1.648	2.5 PM	244KGXW
	22H	824.2 - 848.8	0.467	2.5 PM	249KG7W
	22H	826.4 - 846.4	0.238	2.5 PM	4M09F9W
	24E	1850.2 - 1909.8	0.793	2.5 PM	247KGXW
	24E	1850.2 - 1909.8	0.34	2.5 PM	249KG7W
	24E	1852.4 - 1907.6	0.234	2.5 PM	4M07F9W
	27	1712.4 - 1752.6	0.233	2.5 PM	4M08F9W

Single Modular Approval. Power listed is conducted. The maximum antenna gain including cable loss for compliance with radiated power limits, RF exposure requirements and the categorical exclusion requirements of 2.1091 is 5.29 dBi for 850MHz bands, 4.02 dBi for 1900 MHz bands and 6.32 dBi for 1700 MHz band. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operated in conjunction with any antenna or transmitter not described under this FCC id, except in accordance with FCC multi-transmitter product procedures. The final product operating with this transmitter must include operating instructions and antenna installation instructions, for end-users and installers to satisfy RF exposure compliance requirements. Compliance of this device in all final product configurations is the responsibility of the Grantee. Installation of this device into specific final products may require the submission of a Class II permissive change application containing data pertinent to RF Exposure, spurious emissions, ERP/EIRP, and host/module authentication, or new application if appropriate. This device contains GSM functions that are not operational in the U.S. Territories. This filing is only applicable for U.S. operations.



6.4. IC certificates

ZERTIFIKAT ◆ CERTIFICATE ◆ 認証証書 ◆ CERTIFICADO ◆ CERTIFICAT



FCB Technical Acceptance Certificate

CB Number: UK00004

ISSUED TO	➢ Telit Communications S.p.A. Via Stazione Di Prosecco 5/B 34010 – Trieste Italy
CERTIFICATION No.	➢ 5131A- HE910
DESCRIPTION	➢ 2G/3.5G Module
TYPE OF EQUIPMENT	➢ Cellular Mobile GSM (824-849 MHz) PCS Mobile (1850-1910 MHz) Advanced Wireless Services (1710-1755 MHz and 2110-2155 MHz) Modular Approval
LISTING TYPE	➢ Original Family
MODEL(S)	➢ HE910, HE910-D, HE910-GA, HE910-G1
ANTENNA INFORMATION	➢ External
RF EVALUATION TYPE	➢ RF Evaluation
SPECIFICATION(S)	➢ RSS-132 Issue 2 September 2005 RSS-133 Issue 5 February 2009 RSS-139 Issue 2 February 2009
MANUFACTURING No.	➢ 5131A
REPRESENTATIVE No.	➢ 7926A
IC OATS FACILITY No.	➢ 7381A
IC OATS FACILITY	➢ A Test Lab Techno, Corp No. 140-1, Cheng-an Street, Taoyuan County 334, R.O.C. Bade City, TAIWAN Post Code: 334 Tel: 886-3-271-0188 x800; Fax: 886-3-271-0190 Email: murphy@atl-lab.com.tw

Frequency Range (MHz)	Power Output (W)	Occupied Bandwidth (KHz)	Emission Designator
824.2-848.8	1.995	240.12	240KGXW
824.2-848.8	0.997	248.39	248KG7W
826.4-846.4	0.446	4075.2	4M07F9W
1712.4-1752.6	0.226	4066.1	4M07F9W
1850.2-1909.8	0.993	241.04	241KGXW
1850.2-1909.8	0.380	252.04	252KG7W
1852.4-1907.8	0.243	4096.4	4M10F9W

Authorised by:

Title of Signatory: Certification Manager

Issue Date: 13 March 2012
Number: CD/000162 Issue: 1

I hereby attest that the subject equipment was tested and found in compliance with the above-noted specification

J'atteste, par la présente, que le matériel a fait l'objet d'essai et a été jugé conforme à la spécification ci-dessus.

Certification of equipment means only that the equipment has met the requirements of the above noted specification. Licence applications, where applicable to use certified equipment, are acted on accordingly by the issuing office and will depend on the existing radio environment, service and location of operation. This certificate is issued on condition that the holder complies and will continue to comply with requirements and procedures issued by Industry Canada;

La certification du matériel signifie seulement que le matériel a satisfait aux exigences de la norme indiquée ci-dessus. Les demandes de licences nécessaires pour l'utilisation du matériel certifié sont traitées en conséquence par le bureau de délivrance et dépendent des conditions radio ambiantes, du service et de l'emplacement d'exploitation. Le présent certificat est délivré à la condition que le titulaire satisfasse et continue de satisfaire aux exigences et aux procédures d'Industrie Canada;

Certified Equipment shall not be distributed, leased, sold or offered for sale in Canada before the details of the certification have been added to the REL. This certificate has been issued in accordance with the Certification Regulations of TÜV SÜD BABT. This certificate is not transferable and remains the property of TÜV SÜD BABT.

TÜV SÜD BABT • TÜV SÜD Group
Forsyth House • Churchfield Road • Walton-on-Thames • Surrey • KT12 2TD • United Kingdom





ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICAT ◆ 認証証書 ◆ CERTIFICATE ◆ ZERTIFIKAT

FCB Technical Acceptance Certificate

CB Number: UK00004

ISSUED TO	➤ Telit Communications S.p.A. Via Stazione Di Prosecco 5/B 34010 – Trieste Italy
CERTIFICATION No.	➤ 5131A- HE910NA
DESCRIPTION	➤ 2G/3.5G Module
TYPE OF EQUIPMENT	➤ Cellular Mobile GSM (824-849 MHz) PCS Mobile (1850-1910 MHz) Advanced Wireless Services (1710-1755 MHz) Cellular Mobile New Technologies (824-849MHz) Modular Approval
LISTING TYPE	➤ Original Family
MODEL(S)	➤ HE910NAG, HE910-NAR, HE910-NAD
ANTENNA INFORMATION	➤ External
RF EVALUATION TYPE	➤ RF Evaluation
SPECIFICATION(S)	➤ RSS-132 Issue 2 September 2005 RSS-133 Issue 5 February 2009 RSS-139 Issue 2 February 200
MANUFACTURING No.	➤ 5131A
REPRESENTATIVE No.	➤ 7926A
IC OATS FACILITY No.	➤ 7381A
IC OATS FACILITY	➤ A Test Lab Techno. Corp No. 140-1, Chang-an Street, Taoyuan County 334, R.O.C. Bade City, TAIWAN Post Code: 334 Tel: 886-3-271-0188 x800; Fax: 886-3-271-0190 Email: murphy@atl-lab.com.tw

Frequency Range (MHz)	Power Output (W)	Occupied Bandwidth (KHz)	Emission Designator
824.2 – 848.8	1.648	244	244KGXW
824.2 – 848.8	0.467	249	249KG7W
1850.2 – 1909.8	0.793	247	247KGXW
1850.2 – 1909.8	0.340	249	249KG7W
826.4 – 846.4	0.238	4085	4M09F9W
1852.4 – 1907.6	0.234	4073	4M07F9W
1712.4-1752.6	0.233	4080	4M08F9W

Authorised by: 
Title of Signatory: Certification Manager

Issue Date: 28 June 2012

Number: CD/000187

Issue: 1

I hereby attest that the subject equipment was tested and found in compliance with the above-noted specification

J'atteste, par la présente, que le matériel a fait l'objet d'essai et a été jugé conforme à la spécification ci-dessus.

Certification of equipment means only that the equipment has met the requirements of the above noted specification. Licence applications, where applicable to use certified equipment, are acted on accordingly by the issuing office and will depend on the existing radio environment, service and location of operation. This certificate is issued on condition that the holder complies and will continue to comply with requirements and procedures issued by Industry Canada;

La certification du matériel signifie seulement que le matériel a satisfait aux exigences de la norme indiquée ci-dessus. Les demandes de licences nécessaires pour l'utilisation du matériel certifié sont traitées en conséquence par le bureau de délivrance et dépendent des conditions radio ambiantes, du service et de l'emplacement d'exploitation. Le présent certificat est délivré à la condition que le titulaire satisfasse et continue de satisfaire aux exigences et aux procédures d'Industrie Canada;

Certified Equipment shall not be distributed, leased, sold or offered for sale in Canada before the details of the certification have been added to the REL. This certificate has been issued in accordance with the Certification Regulations of TÜV SÜD BABT. This certificate is not transferable and remains the property of TÜV SÜD BABT.

TÜV SÜD BABT • TÜV SÜD Group

Forsyth House • Churchfield Road • Walton-on-Thames • Surrey • KT12 2TD • United Kingdom



6.5. RoHs declarations of conformity



EU RoHs DECLARATION OF CONFORMITY



1. **Product name:** HE910
 Note: HE910-G and HE910-DG are certified under the Model and Marketing name "HE910".
2. **Manufacturer:** Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE)-ITALY
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. **Object of declaration:** 3G HSPA + FDD Band I, II, IV, V, VIII and 4 bands GSM/GPRS/EDGE + GPS receiver cellular module




5. The object of declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
6. The conformity with the applicable requirements of the Directive 2011/65/EU has been demonstrated against the following harmonized standard:

EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
---------------	--
7. The technical documentation relevant to the product described above and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) ITALY.

Signed for and on behalf of Telit Communications S.p.A.

Trieste, 2013-02-21


 Quality Director
 Guido Walcher


 Quality & Environmental Management System Manager
 Paolo Solinas

Mod 0216 2013-01 Rev.A - This Declaration of Conformity is issued in compliance with 768/2008/EC





EU RoHs DECLARATION OF CONFORMITY



1. Product name: **HE910-D**
2. Manufacturer: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE)-ITALY
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. Object of declaration: 3G HSPA + FDD Band I, II, IV, V, VIII and 4 bands GSM/GPRS/EDGE cellular module



5. The object of declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
6. The conformity with the applicable requirements of the Directive 2011/65/EU has been demonstrated against the following harmonized standard:


EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
---------------	--

7. The technical documentation relevant to the product described above and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) ITALY.

Signed for and on behalf of Telit Communications S.p.A.

Trieste, 2013-02-21


Quality Director
Guido Walcher


Quality & Environmental Management System Manager
Paolo Solinas

Mod 0216 2013-01 Rev.4 - This Declaration of Conformity is issued in compliance with 768/2008/EC





EU RoHS DECLARATION OF CONFORMITY



1. Product name: **HE910-EUR**
2. Manufacturer: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE)-ITALY
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. Object of declaration: 3G HSPA + FDD Band I, V, VIII and 4 bands GSM/GPRS/EDGE cellular module



5. The object of declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
6. The conformity with the applicable requirements of the Directive 2011/65/EU has been demonstrated against the following harmonized standard:

EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
---------------	--

7. The technical documentation relevant to the product described above and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) ITALY.

Signed for and on behalf of Telit Communications S.p.A.

Trieste, 2013-02-21


Quality Director
Guido Walcher


Quality & Environmental Management System Manager
Paolo Solinas

Mod 0216 2013-01 Rev.4 - This Declaration of Conformity is issued in compliance with 768/2008/EC





EU RoHS DECLARATION OF CONFORMITY



1. Product name: **HE910-EUG**
2. Manufacturer: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE)-ITALY
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. Object of declaration: 3G HSPA + FDD Band I, V, VIII and 4 bands GSM/GPRS/EDGE + GPS receiver cellular module



5. The object of declaration described above is in conformity with Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
6. The conformity with the applicable requirements of the Directive 2011/65/EU has been demonstrated against the following harmonized standard:

EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
---------------	--
7. The technical documentation relevant to the product described above and which supports this Declaration of Conformity, is held at: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE) ITALY.

Signed for and on behalf of Telit Communications S.p.A.

Trieste, 2013-02-21



Quality Director
Guido Walcher



Quality & Environmental Management System Manager
Paolo Solinas

Mod 0216 2013-01 Rev.4 - This Declaration of Conformity is issued in compliance with 768/2008/EC





REACH 155 SVCHs DECLARATION

Product name: HE910-D

Manufacturer: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE)-ITALY

Product Description: 3G HSPA + FDD Band I, II, IV, V, VIII and 4 bands GSM/GPRS/EDGE cellular module

We, Telit Communications SpA, at best of our knowledge declare that the product indicated above does not contain any of 155 substances of very high concern included in the Candidate List published by European Chemical Agency according to article 59 of Regulation EC n° 1907/2006 and updated at 16th June 2014, in a concentration above 0,1% weight by weight.

Telit Communications SpA does not specifically analyze for the presence of these substances.

This information is provided in good faith and is believed accurate as of the date of this letter based on a review of current product(s) composition and information supplied by components vendors, subcontractor(s) and contract manufacturer(s).

Telit Communications SpA products (articles) are not intended to release chemical substances under standard and predictable conditions; therefore obligations of pre-registration are irrelevant. The Company will continue to monitor the status of the Candidate list as part of his on-going compliance activities.

Signed for and on behalf of Telit Communications S.p.A.

Trieste, 2015-01-12



Quality Director
Guido Walcher



Quality & Environmental Management System Manager
Paolo Solinas

Mod 0221 2014-12 Rev.0 - Page 1 of 1





REACH 155 SVCHs DECLARATION

Product name: HE910-NAD

Manufacturer: Telit Communications S.p.A Via Stazione di Prosecco, 5/b 34010 Sgonico (TRIESTE)-ITALY

Product Description: 3G HSPA + FDD Band II, IV, V and 4 bands GSM/GPRS/EDGE cellular module

We, Telit Communications SpA, at best of our knowledge declare that the product indicated above does not contain any of 155 substances of very high concern included in the Candidate List published by European Chemical Agency according to article 59 of Regulation EC n° 1907/2006 and updated at 16th June 2014, in a concentration above 0,1% weight by weight.

Telit Communications SpA does not specifically analyze for the presence of these substances.

This information is provided in good faith and is believed accurate as of the date of this letter based on a review of current product(s) composition and information supplied by components vendors, subcontractor(s) and contract manufacturer(s).

Telit Communications SpA products (articles) are not intended to release chemical substances under standard and predictable conditions; therefore obligations of pre-registration are irrelevant. The Company will continue to monitor the status of the Candidate list as part of his on-going compliance activities.

Signed for and on behalf of Telit Communications S.p.A.

Trieste, 2015-04-23



Quality Director
Guido Walcher



Quality & Environmental Management System Manager
Paolo Sainas

Mod 0221 2014-12 Rev.8 - Page 1 of 1



7. Safety Recommendations

READ CAREFULLY

Be sure the use of this product is allowed in the country and in the environment required. The use of this product may be dangerous and has to be avoided in the following areas:

- Where it can interfere with other electronic devices in environments such as hospitals, airports, aircrafts, etc.
- Where there is risk of explosion such as gasoline stations, oil refineries, etc. It is responsibility of the user to enforce the country regulation and the specific environment regulation.

Do not disassemble the product; any mark of tampering will compromise the warranty validity. We recommend following the instructions of the hardware user guides for a correct wiring of the product. The product has to be supplied with a stabilized voltage source and the wiring has to be conforming to the security and fire prevention regulations. The product has to be handled with care, avoiding any contact with the pins because electrostatic discharges may damage the product itself. Same cautions have to be taken for the SIM, checking carefully the instruction for its use. Do not insert or remove the SIM when the product is in power saving mode. The system integrator is responsible of the functioning of the final product; therefore, care has to be taken to the external components of the module, as well as of any project or installation issue, because the risk of disturbing the WCDMA/GSM network or external devices or having impact on the security. Should there be any doubt, please refer to the technical documentation and the regulations in force. Every module has to be equipped with a proper antenna with specific characteristics. The antenna has to be installed with care in order to avoid any interference with other electronic devices and has to guarantee a minimum distance from the body (20 cm). In case of this requirement cannot be satisfied, the system integrator has to assess the final product against the SAR regulation.

The European Community provides some Directives for the electronic equipments introduced on the market. All the relevant information's are available on the European Community website:

<http://ec.europa.eu/enterprise/sectors/rtte/documents/>

The text of the Directive 99/05 regarding telecommunication equipments is available, while the applicable Directives (Low Voltage and EMC) are available at:

<http://ec.europa.eu/enterprise/sectors/electrical/>



8. List of acronyms

3GPP	3rd Generation Partnership Project
ADC	Analog to Digital Converter
ADN	Abbreviated Dialing Number
A-GPS	Assisted GPS
AMR	Adaptive Multi Rate
AT	Attention Commands
AWS	Advanced Wireless Services
BER	Bit Error Rate
BGA	Ball Grid Array
CLIP	Calling Line Identification Presentation
CLIR	Calling Line Identification Restriction
CMOS	Complementary Metal-Oxide Semiconductor
CSD	Circuit Switched Data
DAC	Digital to Analog Converter
DARP	Downlink Advanced Receiver Performance
DTMF	Dual Tone Multi Frequency
FDN	Fixed Dialing Number
FTP	File Transfer Protocol
GSM	Global System for Mobile communication
GPRS	General Packet Radio Service
GPS	Global Positioning System
HSPA	High Speed Packet Access
HSUPA	High Speed Uplink Packet Access
H/W	Hardware
LED	Light Emitting Diode
MO	Mobile Originated



